

EAST Search History

Ref #	Hits	Search Query	Dbs	Default Operator	Plurals	Time Stamp
L1	101010	(calculat\$3 or measur\$3 or deted\$3) same gradient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 15:51
L2	30333	single adj2 frame	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 15:51
L4	3463	weight\$3 same (scal or factor or ratio) same difference same signa\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 15:53
L5	3344	(pre-process\$3 or prefilter or (pre-filter\$3) or (pre adj filter) or (pre adj process\$3)) SAME VIDEO	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 15:53
L6	22	L4 and L5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 15:53
L7	1	L6 and L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 15:53
L8	654	L1 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 15:55
L9	302599	region\$1 with type	US-PGPUB; USPAT; USOCR; FRPS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 15:56
L10	195	L9 and L8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 15:56
L11	3432	(calculat\$3 or measur\$3 or deted\$3) same local same gradient	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 16:04

12	59	11 and 2	US-RGPUB; USPAT; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 16:04
13	3	"20050036704"	US-RGPUB; USPAT; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 16:07
14	2	13 and 2	US-RGPUB; USPAT; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 16:08
15	2	14 and gradient	US-RGPUB; USPAT; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 16:08
26	88	(calculate\$3 or measur\$3 or detect\$3) same local same gradient).dim.	US-RGPUB	OR	ON	2008/04/09 17:35
27	15453	region\$1 with type).dim.	US-RGPUB	OR	ON	2008/04/09 17:36
28	1	26 and 27	US-RGPUB	OR	ON	2008/04/09 17:36
29	329	(BHASKARABHATLA BHASKARABHATLA-A BHASKARABHATLA-AJAY BHASKARACHARYA BHASKARAM BHASKARAN BHASKARANAND BHASKARANAND-MALAVIKA "BHASKARAN.H." BHASKARAN-A BHASKARAN-AJAY).in.	US-RGPUB; USPAT; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 17:38
34	24870	((348)136.620,416.619,413,699,390,407,384,607,711,584,588,598,618,608,586,620) or (382)199,242,243,213,118,190,194,196,203,205,209,221,103,294,294,154,260,261,265,275,262,268,233,266) or (375)240,29,240,08,240,12,240,16,240,25,240,15)).ods.	US-RGPUB; USPAT; FFRS; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 18:05
35	389	11 AND 34	US-RGPUB; USPAT; FFRS; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 18:05
36	63	9 and 35	US-RGPUB; USPAT; FFRS; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 18:05
37	19	29 and 34	US-RGPUB; USPAT; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 18:06
38	1	37 and 26	US-RGPUB; USPAT; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 18:07

S9	19	29 and 34	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 16:08
S40	1	39 and 11	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 16:08
S1	2	"20050063475"	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 11:16
S2	270	bhaskaran .in.	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 11:17
S3	66	S2 and filter\$3	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 15:32
S4	24	S3 and pixel	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 11:20
S5	1304	(calcular\$3 or comput\$3 or measur\$3) same local with gradient\$1	US-RGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 11:56
S6	124227	weight\$3 with factor\$1	US-RGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 11:29
S7	25715	adaptiv\$3 with filter\$3	US-RGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 11:30
S8	857027	video	US-RGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 11:30
S9	144	S5 and S6	US-RGPUB; USPAT; USOCR; FFRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 11:30

S10	14	S9 and S7	US-RGPUB; USPAT; USOCR, FPRS; EPC, JPO; DERWENT; IBM, TDB	OR	ON	2007/05/21 11:30
S11	10	S10 and S8	US-RGPUB; USPAT; USOCR, FPRS; EPC, JPO; DERWENT; IBM, TDB	OR	ON	2007/05/21 11:39
S12	102795	prior\$1 with (encod\$3 or compress\$3)	US-RGPUB; USPAT; USOCR, FPRS; EPC, JPO; DERWENT; IBM, TDB	OR	ON	2007/05/21 11:40
S13	1435	S7 and S12	US-RGPUB; USPAT; USOCR, FPRS; EPC, JPO; DERWENT; IBM, TDB	OR	ON	2007/05/21 11:40
S14	279605	region\$1 with type	US-RGPUB; USPAT; USOCR, FPRS; EPC, JPO; DERWENT; IBM, TDB	OR	ON	2007/05/21 11:41
S15	102	S13 and S14	US-RGPUB; USPAT; USOCR, FPRS; EPC, JPO; DERWENT; IBM, TDB	OR	ON	2007/05/21 11:41
S16	5	S15 and S5	US-RGPUB; USPAT; USOCR, FPRS; EPC, JPO; DERWENT; IBM, TDB	OR	ON	2007/05/21 11:55
S17	18549	prior ad2 (encod\$3 or compress\$3)	US-RGPUB; USPAT; USOCR, FPRS; EPC, JPO; DERWENT; IBM, TDB	OR	ON	2007/05/21 11:55
S18	254	S7 and S8 and S17	US-RGPUB; USPAT; USOCR, FPRS; EPC, JPO; DERWENT; IBM, TDB	OR	ON	2007/05/21 11:55
S19	54240	(calculat4\$ or comput\$3 or measur\$3) same gradient\$1	US-RGPUB; USPAT; USOCR, FPRS; EPC, JPO; DERWENT; IBM, TDB	OR	ON	2007/05/21 11:57

S20	10	S18 and S19	US-RGPUB; USPAT; USOCR, FPRS; EPC, JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 12:29
S21	266	(prefilter or pre\$1filter) with video	US-RGPUB; USPAT; USOCR, FPRS; EPC, JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 12:30
S22	25	S21 and S17	US-RGPUB; USPAT; USOCR, FPRS; EPC, JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 12:54
S23	2	S22 and (gradient and region\$1 and weight)	US-RGPUB; USPAT; USOCR, FPRS; EPC, JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 12:55
S24	695	local with gradient\$1 with (calculat\$3 or comput\$3 or measur\$3)	US-RGPUB; USPAT; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 15:32
S25	298905	weight\$3 with (calculat\$3 or comput\$4 or measur\$4)	US-RGPUB; USPAT; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 15:33
S26	252	S24 and S25	US-RGPUB; USPAT; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 15:34
S27	67	S26 and video	US-RGPUB; USPAT; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 15:35
S28	266	(prefilter or pre\$1filter) with video	US-RGPUB; USPAT; USOCR, FPRS; EPC, JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 15:36
S29	3	S27 and S28	US-RGPUB; USPAT; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 15:36
S30	2	"20020191858"	US-RGPUB; USPAT; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 16:13

S31	2	"20020150166"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 16:15
S32	28	("6456328" or ("20020084130") or ("20020054637") or ("6356592") or ("20010035969") or ("20010019588") or ("6269123") or ("20010005400") or ("6037986") or ("5930397") or ("5675003") or ("5363213") or ("5253059"))).PN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/21 16:16
S33	3	S32 and weight	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:05
S34	4401	(calculat\$3 or comput\$3) same difference\$1 same video with signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:07
S35	1015	S34 and weight\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:07
S36	699	S35 and filter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:08
S37	86061	smooth same edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:08
S38	32	S36 and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:23
S39	23	weight\$3 same factor same applied same difference with region	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:38
S40	1059	(determin\$4 or calculat\$3 or comput\$3) same weighted same gradient\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 10:08
S41	305	S40 and video	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:37
S42	591	apply\$3 same weight\$3 same difference with signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 17:38

S43	2	S41 and S42	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 18:20
S44	24	{determin\$4 or calculat\$3 or comput\$3} same weighted same gradient\$1 same video\$1	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 10:22
S45	416	weight\$1 with factor same gradient\$1	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 10:23
S46	67522	{pre\$1filter or pre\$1filtering or pre\$1processing or pre\$1process}	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 10:33
S47	39	S45 and S46	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 10:25
S48	25	S47 and video	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 10:25
S49	5	video same {pre\$1filter or pre\$1filtering or pre\$1processing or pre\$1process} same weight\$2 with factor	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 10:35
S50	8564	gradient same pixel\$1	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 10:36
S51	2572372	weight\$2	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 10:37
S52	3537	S50 and S51	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 10:37
S53	13563	pre\$1filter or pre\$1filtering	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 10:37
S54	122	S52 and S53	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 15:10

S55	2	whether same apply\$3 same smooth\$3 same pixel same weight\$2 with factor	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 15:12
S56	89	whether same apply\$3 same smooth\$3 same filter\$3	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 16:03
S57	80	S56 and (video or image)	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 16:04
S58	48	S57 and difference	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 16:52
S59	41	S58 and pixel	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 16:52
S60	16	S59 and weight\$2	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 16:52
S61	4	S60 and gradient	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 17:12
S62	32	S61 and weight\$2	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 17:16
S63	4183	gradient same (indicat\$3 or indicative) same region\$1	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 17:17
S64	97588	weight\$2 with factor	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 17:18
S65	250	S63 and S64	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 17:18
S66	219	S65 and difference	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 17:18

S67	168	S66 and (video or image)	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 17:19
S68	50	S67 and pixel\$1	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 17:21
S69	67522	(pre\$1filter or pre\$1filtering or pre\$1processing or pre\$1process)	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 17:21
S70	7	S69 and S68	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/22 17:22
S71	3202	weight\$3 same (scal or factor or ratio) same difference same signal\$1	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 10:37
S72	52811	(pre-process\$3 or prefilter or (pre-filter\$3) or (pre adj filter) or (pre adj process\$3))	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 15:00
S73	2961	(pre-process\$3 or prefilter or (pre-filter\$3) or (pre adj filter) or (pre adj process\$3)) SAME VIDEO	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 10:39
S74	16	S71 and S73	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 11:12
S75	22020	((348/136,620,416,619,413,699,390,407,384,807,711,584,568,596,616,608,586) or (362,199,242,243,213,118,190,194,195,203,205,209,221,103,284,294,154,280,261,265,275,262,268,233,266) or (375,240,29,240,08,240,12,240,16,240,25)).ccls	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 11:59
S76	133	S71 and S75	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 11:59
S77	13	S72 and S76	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 11:59
S78	153	S71 and S72	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 15:00

S79	13	S78 and S75	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 15:08
S80	224	local same gradient\$1 same region\$1 same type	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 15:54
S81	5	S80 and S71	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 15:09
S82	22	S80 and S75	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 15:47
S83	10317	local same gradient\$1	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 15:55
S84	6075	local with gradient\$1	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 15:55
S85	1016	S84 and video	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 15:56
S86	252	S85 and S75	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 15:56
S87	296	S86 and (region\$1 or part\$1 or busy)	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 15:57
S88	2	"4561022" pn.	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/23 18:27
S89	350880	GRADIENT	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 10:54
S90	1176933	VIDEO GRADIENT	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 10:55

S91	22051	(1548,136,620,416,619,413,699,390,407,394,607,711,564,566,596,616,608,566) or (382,199,242,243,213,116,190,194,195,203,205,209,221,103,284,294,154,260,261,265,275,262,266,233,266) or (375,240,29,240,06,04,12,240,16,240,25)) ods	US-RGRUB; USPAT; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 10:55
S92	14336	S91 and S90	US-RGRUB; USPAT; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 10:55
S93	667	local adj gradient	US-RGRUB; USPAT; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 12:20
S94	234	S93 and video	US-RGRUB; USPAT; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 10:56
S95	56	S94 and S91	US-RGRUB; USPAT; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 10:56
S96	318	(calcuat\$3 or measu\$3 or comput\$3) same local adj gradient\$1	US-RGRUB; USPAT; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 12:47
S97	95	S96 and video	US-RGRUB; USPAT; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 12:23
S98	0	(calcuat\$3 or measu\$3 or comput\$3) same local adj gradient\$1 same noise with reduction	US-RGRUB; USPAT; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 12:47
S99	0	(calcuat\$3 or measu\$3 or comput\$3) same local adj gradient\$1 same noise with reduction	US-RGRUB; USPAT; USOCR, FFRS; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 12:47
S100	6	(calcuat\$3 or measu\$3 or comput\$3) same local adj gradient\$1 same noise with (reduction or reduc\$3 or minimiz\$3)	US-RGRUB; USPAT; USOCR, FFRS; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 12:48
S101	6	(calcuat\$3 or measu\$3 or comput\$3) same local adj gradient\$1 same noise with (reduction or reduc\$3 or minimiz\$3)	US-RGRUB; USPAT; USOCR, FFRS; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 12:53

SI02	35/26	lim.in.	US-RGPUB; USPAT; USOCR, FFRS; EPC, JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 12:53
SI03	29	SI02 and (two with dimensional with signal with processing)	US-RGPUB; USPAT; USOCR, FFRS; EPC, JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 12:55
SI04	5	SI03 and gradient	US-RGPUB; USPAT; USOCR, FFRS; EPC, JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 12:57
SI05	0	SI02 and S93	US-RGPUB; USPAT; USOCR, FFRS; EPC, JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 12:57
SI06	2	"5438374".pn.	US-RGPUB; USPAT; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 18:46
SI07	1	SI06 and (filter or filtering or prefilter or "pre-filter") and (pel or pixel\$1)	US-RGPUB; USPAT; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 18:54
SI08	2	"20050063475"	US-RGPUB; USPAT; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/24 18:54
SI09	72	(US-20050063475-\$ or US-20050220354-\$ or US-20030235245-\$ or US-20050094870-\$ or US-20040151243-\$ or US-20040091166-\$ or US-20050136699-\$ or US-20020118766-\$ or US-20050036704-\$ or US-20040022318-\$ or US-20030095197-\$ or US-20020094130-\$ or US-20010017687-\$ or US-20040020385-\$ or US-20040131267-\$ or US-20040037465-\$ or US-20040032906-\$ or US-20030097069-\$ or US-20030169944-\$ or US-20040008901-\$) did. or (US-7127122-\$ or US-7162081-\$ or US-7158660-\$ or US-6728416-\$ or US-6836645-\$ or US-6442203-\$ or US-6173084-\$ or US-5675040-\$ or US-5341224-\$ or US-5818536-\$ or US-5592226-\$ or US-4561022-\$ or US-5079630-\$ or US-4745562-\$ or US-5122873-\$ or US-4785349-\$ or US-4613694-\$ or US-6226114-\$ or US-5436374-\$ or US-6950479-\$ or US-6421468-\$ or US-5224176-\$ or US-6975669-\$ or US-5742346-\$ or US-6724226-\$ or US-6456328-\$) did. or (US-6335990-\$ or US-6480544-\$ or US-4849610-\$ or US-5363213-\$ or US-7003174-\$ or US-5430479-\$ or US-5552825-\$ or US-6041145-\$ or US-6926196-\$ or US-6442202-\$ or US-5832115-\$ or US-5502492-\$ or US-7110602-\$ or US-RE38420-\$ or US-6097326-\$ or US-6075905-\$ or US-5703965-\$ or US-7130479-\$ or US-6720997-\$ or US-6665439-\$ or US-5808685-\$ or US-5717463-\$ or US-5142592-\$ or US-5016173-\$ or US-6094511-\$) did. or (EP-663671-\$) did.	US-RGPUB; USPAT; EPO	OR	ON	2007/05/25 10:34
SI10	50	SI09 and ((neighbor\$4 or surround\$3) and pixel\$1)	US-RGPUB; USPAT; EPO	OR	ON	2007/05/25 13:21
SI11	47	SI10 and filter\$3	US-RGPUB; USPAT; EPO	OR	ON	2007/05/25 10:38
SI12	52866	(pre-process\$3 or prefilter or (pre-filter\$3) or (pre adj filter) or (pre adj process\$3))	US-RGPUB; USPAT; EPC; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 10:38
SI13	24	SI12 and SI11	US-RGPUB; USPAT; EPO	OR	ON	2007/05/25 10:57

SI14	8	SI13 and smooth\$3 and normal\$3	US-RGPUB; USPAT; EPO	OR	ON	2007/05/25 10:58
SI15	1	"6041145" pn. and (threshold\$3 and smooth\$3)	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 12:21
SI17	1046	pixel\$ same difference\$3 same (current or target) same (neighbor\$3 or surround\$3)	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 12:24
SI18	67615	(pre\$1 filter or pre\$1 filtering or pre\$1 processing or pre\$1 process)	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 12:24
SI19	153	SI18 and SI17	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 12:24
SI20	78	SI19 and smooth\$3	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 13:16
SI21	6843	(calculat\$3 or comput\$3 or measur\$3) same (difference or differential\$3) same (video or input or picture\$1) same output same filter\$3	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 14:09
SI22	22051	((348;136;620;416;619;413;699;390;407;384;607;711;584;588;596;618;608;586) or (382;199;242;243;213;118;190;194;195;203;205;209;221;103;284;294;154;260;261;265;275;282;288;233;268) or (375;240;29;240;08;240;12;240;16;240;25)) oads.	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 13:20
SI23	259	SI22 and SI21	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 13:20
SI24	86218	((neighbor\$4 or surround\$3) and pixel\$1)	US-RGPUB; USPAT; EPO	OR	ON	2007/05/25 13:21
SI25	52	SI23 and gradient	US-RGPUB; USPAT; EPO	OR	ON	2007/05/25 13:21
SI26	28	SI25 and SI24	US-RGPUB; USPAT; EPO	OR	ON	2007/05/25 13:21
SI27	268003	filter with output	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 14:08
SI28	201690	(video or picture\$1) with input\$3	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 14:09

S129	17507	S127 and S128	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 14:10
S130	1289	S129 and S112	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 14:10
S131	251	S130 and S122	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 14:10
S132	2	"4561022".pn.	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 15:12
S133	2	"5363213".pn.	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 15:33
S134	279	BHASKARAN IN.	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 15:33
S135	70	S134 AND FILTER3	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/27 15:34
S136	22	("6175592" or ("6148027" or ("5986710" or ("5933194" or ("5861180" or ("5847766" or ("5552829" or ("5280782" or ("20020064228" or ("20020054639" or ("20010008544"))).PN.	US-RGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/10 14:41
S137	2	S136 and ((smooth or edge) with region)	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 14:10
S138	4	S136 and ((within near4 frame)	US-RGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 14:41

4/9/08 6:09:01 PM

C:\Documents and Settings\bsent\My Documents\EAST\Workspaces\10666668 search.wsp